

100% WANDERLUST



Chassis last season's model

en

2025

HANDMADE
IN GERMANY
SINCE 1989

DLine

TRENTA

summit summit summit
prime Shine

HLine



Chassis Vorjahresmodell



Chassis Vorjahresmodell



Welcome to the original. Welcome to Pössl.

The world is in flux - and that's true for the world of travel, too. Continuity and stability are the new benchmarks of mobile travel. As a pioneer in this field, that is exactly what PÖSSL offers fans of van-based motorhomes: quality, comfort and innovation - values on which you can build and happily take on the road.

These values are also reflected in our production processes and product development. Cutting-edge technologies such as laser robots and continuous development are just two of the significant factors in this.

Jump in and take a trip with PÖSSL - the original.



PAGES
6-15

D Line

D FOR DELIGHT ... UNENDING DELIGHT

The Pössl D-Line offers the widest choice - from compact and agile to spacious with lots of room, with numerous different models. The D-Line is where you'll find the very PÖSSL for you.

STEP INTO THE WORLD OF PÖSSL!

TRENTA

PAGES
16-23



LA DOLCE VITA

The Trenta not only exudes the sense of Bella Italia; it is also the expression of 30 years of PÖSSL know-how and experience.



summit

summit
prime

summit
Shine

PAGES
24-49

THE SUMMIT OF MOBILE FREEDOM

Whether it's the Summit, Summit Prime or Summit Shine - the unparalleled sense of space in the Summit models will make every camping fan's heart beat a little faster.



PAGES
50-56

H line

AT HOME THE WORLD OVER

The H-Line is a special home-from-home for those who love travelling out into the world. There are three models to satisfy every desire.



D FOR DELIGHT ... UNENDING DELIGHT



D line

If you choose the PÖSSL D-Line, you will also benefit from a wide selection. Here you will find the right vehicle to suit your taste and needs. From compact and agile to spacious with lots of room. The D-Line has exactly the right PÖSSL for you.

D Line Highlights



POP-TOP ROOF

Optional for many models: a pop-top roof for two extra sleeping berths. Bed space: 200 x 130 cm.

XXL STORAGE SPACE

Our rear beds can be dismantled, folded and stacked away. It's so easy to always have the optimum and maximum storage space



Photo shows last season's model

01



02



A GUEST ROOM IN 3 STEPS

Optional bed extension for seating area incl. "alternative tabletop."

03



ROADCAMP R

ROADSTAR 600 L

ROADCRUISER


ROADCRUISER REVOLUTION

ROADCRUISER XL


6.36 m

5.99 m


5.41 m




9




10



11



12



12

PAGES

DIMENSIONS in mm

Length (approx.)	5,413	5,998	6,358	6,358	6,358
Width (approx.)	2,050	2,050	2,050	2,050	2,050
Height (approx.)	2,580	2,580	2,580	2,830	2,830
Wheelbase (approx.)	3,450	4,035	4,035	4,035	4,035
Interior height (approx.)	1,905	1,905	1,905	2,130	2,130

WEIGHT AND MAXIMUM RECOMMENDED LOAD in kg

Gross vehicle weight (standard)	3,500	3,300	3,500	3,500	3,500
Mass in running order (approx.)*	2,720	2,820	2,970	3,060	3,060
Maximum recommended load with 20 l water (approx.)	780	480	530	440	440
Towing capacity, unbraked/braked**	750 / 2,500	750 / 2,500**	750 / 2,500**	750 / 3,000	750 / 3,000

* Weight specifications with standard built-in equipment. The maximum recommended load will change with instalment of optional extras. **Heavy/Maxi 750/3,000 kg

ON-BOARD TECHNICAL EQUIPMENT

Heater	Truma Combi 4	Truma Combi 4	Truma Combi 4	Truma Combi 4	Truma Combi 4
Boiler volume, l (approx.)	10	10	10	10	10
Fresh water tank, l (approx.)	100	100	100	100	100
Wastewater tank, l (approx.)	92	92	92	92	92
Gas cylinder box for (kg)	2 x 11	2 x 11	2 x 11	2 x 11	2 x 11
Battery charger, A	18	18	18	18	18
Battery	12V / 95 Ah	12V / 95 Ah	12V / 95 Ah	12V / 95 Ah	12V / 95 Ah
230V power sockets	2	2	2	2	2
Refrigerator, l (capacity/for freezer)	approx. 100 / 8	approx. 100 / 8	approx. 84 / 6	approx. 84 / 6	approx. 84 / 6
Absorber/compressor	Compressor	Compressor	Compressor	Compressor	Compressor

LIVING AREA FITTINGS AND FEATURES

Plastic insulating windows (blinds)	4	6	6	6	6
Operable skylight with blackout and flyscreen blinds	1	1	1	1	1
Compact operable skylight with blackout and flyscreen blinds	-	1	1	1	1
Seats/three-point safety belts	4 / 4	4 / 4	4 / 4	4 / 4	4 / 4
Berths	2 (+1 optional)	2 (+1 optional)	2 (+1 optional)	2 (+1/+2 optional)	2 (+1 optional)
Rear bed/single bed, mm (approx.)	1,960 x 1,320/1,170	1,930/1,800 x 829	1,980/1,930 x 1,900	1,980/1,930 x 1,900	1,980/2,080 x 1,900
Bed lateral to sliding door, mm (approx., as standard)	1,800 x 700	1,800 x 700	1,800 x 700	1,800 x 700	1,800 x 700
Extra bed in the rear (approx., as standard)	-	-	-	1,800 x 1,600	-
Possible Isofix fittings	-	-	2	2	2



Extra bedroom

Additional storage compartments at the top-end of the bed

Practical central bathroom


Extra bathroom space and it doubles as a room divider

Elegance version

Marais interior, alternative tabletop (optional)



ROADCAMP R



Extra short vehicle – just the right everyday companion ✓

With practical folding wash-hand basin in the bathroom for greater space ✓

The double-hinged refrigerator door provides you with access from the outside and inside ✓

Also available in Breeze configuration ✓


D line



LOOK INSIDE

360°

ROADSTAR 600 L



- ✓ Spacious single beds for sleeping comfort like at home
- ✓ Large separate wall locker under the single bed
- ✓ Practical folding wash-hand basin in the bathroom for greater space
- ✓ The double-hinged refrigerator doors provides you with access from the outside and inside



Elegance version

Lime interior, alternative tabletop (optional)

Cooking just like at home


Functional with space-optimised cabinets and drawers



Separable bedroom

Large, comfortable and ideal when someone wants to sleep longer





D line


ROADCRUISER



Extra-large kitchenette
With equally extra-large refrigerator

Central bathroom
Bathroom and room divider in one

Elegance version
Wohnwelt Marais, Tischplatte alternativ (optional)




- ✓ **Elevated refrigerator – super easy to reach. Also optional with Slimtower**
- ✓ **For convivial gatherings of up to four people**
- ✓ **Flexible bathroom with top quality roller blinds – also ideal as a room divider**
- ✓ **Spacious single beds for sleeping comfort like at home**
- ✓ **Also available in Breeze version**



LOOK INSIDE

360°

ROADCRUISER REVOLUTION



6.36 m

- ✓ **Elevated refrigerator – super easy to reach.**
Optional Slimtower
- ✓ **Electrically adjustable bed for extra flexibility**
- ✓ **Sophisticated light design with extra lighting**
- ✓ **With a particularly expansive sense of space**
thanks to the 213 cm interior headroom



Elegance version

Silver interior (optional), alternative tabletop (optional)

Conveniently create storage space

Electrically height-adjustable bed, second control panel (optional)

Convivial seating area

Plenty of room for four people on the road and at the destination





Large shower

Home-like levels of comfort

Kitchenette

With elevated refrigerator and spacious wardrobe

Elegance version

Marais interior, alternative tabletop (optional)




ROADCRUISER XL

D line



LOOK INSIDE

360°



6.36 m

- Separate bathroom ✓
- A real miracle of storage space with numerous compartments and cabinets ✓
- Ideal for tall campers with 208 cm extra-long bed space ✓
- With a particularly expansive sense of space thanks to the 213 cm of interior headroom ✓



D Line Interior

DECOR



BREEZE MODEL

Tartufo wood decor, available with the 2Win RS Plus, Roadcamp R and Roadcruiser



ELEGANCE VERSION

Dakota Oak wood decor with ambient overhead locker and Marais standard interior.

INTERIORS

(standard or optional depending on version)



MELANGE INTERIOR



TIMELESS INTERIOR



MARAIS INTERIOR



SILVER INTERIOR



LIMETTE INTERIOR

LA DOLCE VITA



TRENTA

Pössl Trenta. Ready for the next 30 years. The Trenta not only exudes the sense of la dolce Vita and Bella Italia, it is also an expression of 30 years of experience in constructing smart compact motor homes. With its open-space interior, it offers the same head and legroom as liner motorhomes. The unique lighting concept and exclusive design make the Trenta a very special one of its kind. Just like its owners.

TRENTA Highlights



SLIM KITCHEN

in contemporary design and a work surface at ideal working height.



UNIQUE LIGHTING CONCEPT

Ceiling cabinets with indirect lighting.



TOP QUALITY WALL PANELLING

in the seating area and sleeping area (Trenta 640 only) for a unique interior ambience.



CUSTOM-DESIGNED

Tiberino interior design with matching Pacco special cushions.



GREATER SENSE OF SPACE

Open cab canopy and additional backlit storage compartments.



TWO-TONE OVERHEAD LOCKERS

underscore the contemporary design.



EXTERIOR DESIGN




Colour-coordinated lamination and portholes round off the elegant exterior design (optional; standard in Trenta 640).

TRENTA 540 R

TRENTA 600

TRENTA 640

6.36 m
5.99 m
5.41 m



PAGE

19

20

21

DIMENSIONS in mm

Length (approx.)	5,413	5,998	6,358
Width (approx.)	2,050	2,050	2,050
Height (approx.)	2,580	2,580	2,580
Wheelbase (approx.)	3,450	4,035	4,035
Interior height (approx.)	1,905	1,905	1,905

WEIGHT AND MAXIMUM RECOMMENDED LOAD in kg

Gross vehicle weight (standard)	3,500	3,500	3,500
Mass in running order (approx.)*	2,720	2,820	2,970
Maximum recommended load with 20 l water (approx.)	780	680	530
Towing capacity, unbraked/braked**	750 / 2,500**	750 / 2,500**	750 / 2,500**

* Weight specifications with standard built-in equipment. The maximum recommended load will change with instalment of optional extras. ** Heavy/Maxi 750/3,000 kg

ON-BOARD TECHNICAL EQUIPMENT

Heater	Truma Combi 4	Truma Combi 4	Truma Combi 4
Boiler volume, l (approx.)	10	10	10
Fresh water tank, l (approx.)	100	100	100
Wastewater tank, l (approx.)	92	92	92
Gas cylinder box for (kg)	2 x 11	2 x 11	2 x 11
Battery charger, A	18	18	18
Battery	12V / 95 Ah	12V / 95 Ah	12V / 95 Ah
230V power sockets	2	2	2
Refrigerator, l (capacity/for freezer)	approx. 100 / 8	approx. 100 / 8	approx. 100 / 8
Absorber/compressor	Compressor	Compressor	Compressor

LIVING AREA FITTINGS AND FEATURES

Plastic insulating windows (blinds)	4	5	3 + 2 Bullaugen
Operable skylight with blackout and flyscreen blinds	1	1	1
Compact operable skylight with blackout and flyscreen blinds	-	1	1
Seats/three-point safety belts	4 / 4	4 / 4	4 / 4
Berths	2 (+1 optional)	2 (+1 optional)	2 (+1 optional)
Rear bed/single bed, mm (approx.)	1,960 x 1,320/1,170	1,960/1,470 x 1,300	1,903/1,769 x 1,900
Bed lateral to sliding door, mm (approx., as standard)	1,800 x 700	1,800 x 700	1,800 x 700
Extra bed in the rear (approx., as standard)	-	-	-
Possible Isofix fittings	-	1	1



TRENDA 540 R


TRENDA



Practical bathroom concept
Bathroom with flip-up wash-hand basin

Seating area for four persons
alternative tabletop (optional)

Practical kitchen
Double-hinged refrigerator for easy access from inside and outside the vehicle



- Compact vehicle for day-to-day use ✓
- Practical bathroom for greater space ✓
- Convivial seating area for up to four persons ✓
- Double-hinged refrigerator can be opened from both inside and outside ✓





High-end ambience
alternative tabletop (optional)

Spacious bathroom
With large mirror, it offers all amenities




Comfortable sleeping
Large double bed in the rear



TRENTA 600

TRENTA



Practical and space-saving wooden sliding door ✓

Spacious, open-plan interior ✓

Refrigerator with removable freezer compartment and can be opened in both directions ✓

Bench seat made of ergonomically shaped upholstery ✓


TRENTA



TRENTA 640



360°



6.36 m

- ✓ Practical and space-saving wooden sliding door
- ✓ Spacious, open-plan interior
- ✓ Refrigerator with removable freezer compartment and can be opened in both directions
- ✓ Bench seat made of ergonomically shaped upholstery

High-end ambience

The Tiberino wood decor goes perfectly with the top quality two-tone locker
| Alternative tabletop (optional)

Home-like sleeping comfort

The entire sleeping area is fitted with top quality wall panelling

Easy access

Double-hinged refrigerator for easy access from inside and outside the vehicle





GIPFEL MOBILER FREIHEIT



summit

summit
prime

summit
Shine

In 2016, with the Summit model PÖSSL launched one of the first motorhomes on a van base, featuring a swing-wall washroom and unique spatial design, thus starting its ascent to the top of mobile recreational life. Anyone seeking something even more exclusive than the Summit, may look to the Summit Prime to take them to yet greater heights. And with its Summit Shine model - a shimmering success - PÖSSL marks its ascent to the uppermost peak!

summit Highlights



FRAMED WINDOWS

Permanently integrated framed windows are a novelty in this class. Quality in every detail. A must-have.



CHILD-SEAT FITTINGS

All rear seats are available with Isofix (optional).

SWING-WALL BATHROOM

The swing wall and pivotable toilet with scratch-resistant ceramic inlay create a lot of additional bathroom space. Storage compartment in swing wall available with sanitary package. Side window (optional).



SEAT BENCH EXTENDABLE WITH THIRD SEAT

Turns two into three: extra seat creates a three-seater bench in an instant (optional, must be ordered ex works)



SOFT-CLOSE DRAWERS

Sizeable in a small kitchen; with convenience like at home.



EASY MOVE TABLE


(AVAILABLE ON 540, 600 L UND 600 RL VERSIONS)

The practical stowable Easy Move table provides more legroom and greater safety on the road.

SUMMIT 540


SUMMIT 600

SUMMIT 640


6.36 m
5.99 m
5.41 m


PAGE

27



28



29

DIMENSIONS in mm

Length (approx.)	5,413	5,998	6,358
Width (approx.)	2,050	2,050	2,050
Height (approx.)	2,580	2,580	2,580
Wheelbase (approx.)	3,450	4,035	4,035
Interior height (approx.)	1,905	1,905	1,905

WEIGHT AND MAXIMUM RECOMMENDED LOAD in kg

Gross vehicle weight (standard)	3,500	3,500	3,500
Mass in running order (approx.)*	2,680	2,835	2,960
Maximum recommended load with 20 l water (approx.)	820	665	540
Towing capacity, unbraked/braked**	750 / 2,500	750 / 2,500**	750 / 2,500**

* Weight specifications with standard built-in equipment. The maximum recommended load will change with instalment of optional extras. ** Heavy/Maxi 750/3,000 kg

ON-BOARD TECHNICAL EQUIPMENT

Heater	Truma Combi 4	Truma Combi 4	Truma Combi 4
Boiler volume, l (approx.)	10	10	10
Fresh water tank, l (approx.)	100	100	100
Wastewater tank, l (approx.)	110	110	110
Gas cylinder box for (kg)	2 x 11	2 x 11	2 x 11
Battery charger, A	16	16	16
Battery	12V / 95 Ah	12V / 95 Ah	12V / 95 Ah
230V power sockets	1 / 2	1 / 2	1 / 2
Refrigerator, l (capacity/for freezer)	approx. 100 / 8	approx. 100 / 8	approx. 100 / 8
Absorber/compressor	Compressor	Compressor	Compressor

LIVING AREA FITTINGS AND FEATURES

Windows in living space	4 (+2 optional)	5 (+2 optional)	4 (+3 optional)
Skylight with blackout roller blinds	2	3	3
Seats/three-point safety belts	4 / 4 (+1 optional)	4 / 4 (+1 optional)	4 / 4 (+1 optional)
Berths	2 (+3 optional)	2 (+3 optional)	2 (+1 optional)
Rear bed, mm (approx.)	1,960 x 1,200/1,410	1,960 x 1,560/1,430	2,000/1,900 x 800 / alternative: 2,000/1,900 x 1,900
Bed lateral to sliding door, mm (approx., as standard)	1,800 x 500	1,800 x 700	1,800 x 700
Possible Isofix fittings	1	2	2



Oak Copper Bora wood decor (optional)
Mindoro interior (optional), Easy Move table with travel function


Kitchenette with compressor fridge
Double-hinged for easy access from inside and outside the vehicle



Swing-wall bathroom
with indirect lighting



SUMMIT 540



- Additional space when travelling in the seating area thanks to the Easy Move table ✓
- Bench seat made of ergonomically moulded upholstery ✓

summit

summit




ALSO AVAILABLE AS
(B)-PLUS SPECIAL MODEL



LOOK INSIDE

360°

SUMMIT 600



5.99 m

- ✓ Clevere Room-in-Room-Lösung durch Schwenkbad
- ✓ Kühlschrank mit herausnehmbarem Frosterfach und in beide Richtungen zu öffnen



Copper Bora wood decor (optional)

Mindoro interior (optional), alternative tabletop (optional)

Comfortable sleeping

Large double bed in the rear

Comfy seating area

For convivial gatherings of up to four persons





Culinary-based, practical design

The extra-large kitchenette features a large 100 L fridge for local homegrown delicacies on the road



Sleep like a king


Two large single beds in the rear for restful nights in hotel-like comfort

Copper Bora wood decor (optional)

Mindoro interior (optional), alternative tabletop (optional)



SUMMIT 640



- Spacious, open-plan interior ✓
- Top quality framed windows for a special automotive look ✓



FRONT WINDSCREEN BLACKOUT BLIND

From bottom to top: for larger field of vision out front and greater privacy. When it's half-closed, everybody can look out, but nobody can look in.



SKYROOF®

Pop-up SkyRoof® with flyscreen and blackout blind.





UNIQUE AMBIENCE

canopy with indirect lighting and additional LEDs for optimum illumination of the seating area.



REFRIGERATOR DOOR

The double-hinged refrigerator door provides access from the outside and inside.



NEW PRIME LIGHTING DESIGN

The lighting was designed exclusively for the Prime and creates a comfortable and cosy ambience.



SKYROOF® FROM INSIDE

Unique open-plan spatial concept with lots of head and legroom, like in a liner motorhome.

SUMMIT PRIME 540


SUMMIT PRIME 600

SUMMIT PRIME 640


6.36 m

5.99 m


5.41 m



32



33



34

PAGE

DIMENSIONS in mm

Length (approx.)	5,413	5,998	6,358
Width (approx.)	2,050	2,050	2,050
Height (approx.)	2,580	2,580	2,580
Wheelbase (approx.)	3,450	4,035	4,035
Interior height (approx.)	1,905	1,905	1,905

WEIGHT AND MAXIMUM RECOMMENDED LOAD in kg

Gross vehicle weight (standard)	3,500	3,500	3,500
Mass in running order (approx.)*	2,695	2,890	3,010
Maximum recommended load with 20 l water (approx.)	805	610	490
Towing capacity, unbraked/braked**	750 / 2,500**	750 / 2,500**	750 / 2,500**

* Weight specifications with standard built-in equipment. The maximum recommended load will change with instalment of optional extras. ** Heavy/Maxi 750/3,000 kg

ON-BOARD TECHNICAL EQUIPMENT

Heater	Truma Combi 4	Truma Combi 4	Truma Combi 4
Boiler volume, l (approx.)	10	10	10
Fresh water tank, l (approx.)	100	100	100
Wastewater tank, l (approx.)	110	110	110
Gas cylinder box for (kg)	2 x 11	2 x 11	2 x 11
Battery charger, A	16	16	16
Battery	12V/ 95 Ah	12V/ 95 Ah	12V/ 95 Ah
230V power sockets	1 / 2	1 / 2	1 / 2
Refrigerator, l (capacity/for freezer)	approx. 100 / 8	approx. 100 / 8	approx. 100 / 8
Absorber/compressor	Compressor	Compressor	Compressor

LIVING AREA FITTINGS AND FEATURES

Windows in living space	5 (+1 optional)	5 (+2 optional)	4 (+3 optional)
Skylight with blackout roller blinds	2	3	3
Seats/three-point safety belts	4 / 4 (+1 optional)	4 / 4 (+1 optional)	4 / 4 (+1 optional)
Berths	2 (+3 optional)	2 (+3 optional)	2 (+1 optional)
Rear bed, mm (approx.)	1,960 x 1,200/1,410	1,960 x 1,560/1,430	2,000/1,900 x 800 / alternative: 2,000/1,900 x 1,900
Bed lateral to sliding door in mm (approx., as standard)	1,800 x 500	1,800 x 700	1,800 x 700
Possible Isofix fittings	1	2	2

SUMMIT PRIME AT A GLANCE


Summit
prime



LOOK INSIDE

360°

SUMMIT PRIME 540



5.41 m

- ✓ Easy Move table with travel function
- ✓ Lighting fixtures under roof cabinet with night light function



Modern ambience

Palisander wood decor, Samba interior (optional)

Kitchenette with compressor fridge

Double-hinged for easy access from inside and outside the vehicle

Comfy seating area

Easy Move table with travel function





High-end ambience

Palisander wood decor, Samba interior (optional)


Spacious swing-wall bathroom

Our premium luxury-class bathroom concept




Just like sleeping in your own bed

In the largest double bed in its class (1,960 mm x 1,600/1,470 mm)



SUMMIT PRIME 600



Ingenious room-in-room solution with swing-wall bathroom
Spacious, open-plan interior created by SkyRoof®



Extra-large seating area

With ergonomic moulded seat pads,
table with open-out section (optional)


summit
prime



LOOK INSIDE

360°

SUMMIT PRIME 640



6,36 m

- ✓ Spacious interior like in a liner motorhome
- ✓ Bench seat made of ergonomically moulded upholstery
- ✓ Top quality framed windows for a special automotive look



Modern ambience

Palisander wood decor, Samba interior (optional)

Kitchenette with compressor fridge

Double-hinged for easy access from inside and outside the vehicle

Sleep like a king

Two large single beds in the rear for restful nights in hotel-like comfort







Highlights



FLEXIBLE STOWAGE SPACE CONCEPT

Depending on what you need, the MultiRoof shelf (optional) can be effortlessly lowered to create more storage space above the driver's cab. When it's not needed, the shelf can be simply pushed upwards into place or even removed completely.



TOP QUALITY LIGHT RAILS

The matching spots and USB sockets of the light rail in anthracite add up to an especially modern design.



SPACIOUS CEILING CABINETS

The guardrail in the ceiling cabinets additionally secures large and heavy items, while the optically continuous LED strips in the hatches provide even more light.



EASY MOVE TISCH

The travel function is a practical feature enabling the table to be stowed away, creating more legroom (Summit Shine 540/540 R and 600L/600L R).



WASHROOM

Wet cell and room divider in one:
The roller shutter transforms
the interior into a spacious
shower.



INNOVATIVE SEATING AREA

Single seat with extension for hinged seat (optional) or space
for up to five persons thanks to optional 2+1 bench seat.



SWING-WALL WASHROOM

The swing wall means the shower and pivotable
toilet with wash basin can be separate areas. With
scratch-resistant ceramic inlay and storage facility.


SUMMIT SHINE 540

SUMMIT SHINE 600


SUMMIT SHINE 600L

SUMMIT SHINE 640


6.36 m
5.99 m
5.41 m




40



41



41



42

PAGE

DIMENSIONS in mm

Length (approx.)	5,413	5,998	5,998	6,358
Width (approx.)	2,050	2,050	2,050	2,050
Height (approx.)	2,580	2,580	2,580	2,580
Wheelbase (approx.)	3,450	4,035	4,035	4,035
Interior height (approx.)	1,905	1,905	1,905	1,905

WEIGHT AND MAXIMUM RECOMMENDED LOAD in kg

Gross vehicle weight (standard)	3,500	3,500	3,500	3,500
Mass in running order (approx.)*	2,695	2,835	2,890	2,960
Maximum recommended load with 20 l water (approx.)	805	665	610	540
Towing capacity, unbraked/braked**	750 / 2,500	750 / 2,500**	750 / 2,500**	750 / 2,500**

* Weight specifications with standard built-in equipment. The maximum recommended load will change with instalment of optional extras. ** Heavy/Maxi 750/3,000 kg

ON-BOARD TECHNICAL EQUIPMENT

Heater	Truma Combi 4	Truma Combi 4	Truma Combi 4	Truma Combi 4
Boiler volume, l (approx.)	10	10	10	10
Fresh water tank, l (approx.)	100	100	100	100
Wastewater tank, l (approx.)	110	110	110	110
Gas cylinder box for (kg)	2 x 11	2 x 11	2 x 11	2 x 11
Battery charger, A	16	16	16	16
Battery	12V / 95 Ah	12V / 95 Ah	12V / 95 Ah	12V / 95 Ah
230V power sockets	1 / 2	1 / 2	1 / 2	1 / 2
Refrigerator, l (capacity/for freezer)	approx. 100 / 8	approx. 100 / 8	approx. 100 / 8	approx. 100 / 8
Absorber/compressor	Compressor	Compressor	Compressor	Compressor

LIVING AREA FITTINGS AND FEATURES

Windows in living space	4 (+2 optional)	5 (+1 optional)	4 (+3 optional)	4 (+3 optional)
Skylight with blackout roller blinds	2	3	3	3
Seats/three-point safety belts	3 / 3 (+1 optional) or / 4 / 4 (+1 optional)	3 / 3 (+1 optional) oder / 4 / 4 (+1 optional)	3 / 3 (+1 optional) or / 4 / 4 (+1 optional)	3 / 3 (+1 optional) or / 4 / 4 (+1 optional)
Berths	2 (+3 optional)	2(+3 optional)	2 (+3 optional)	2 (+1 optional)
Rear bed, mm (approx.)	1,960 x 1,200/1,410	1,960 x 1,560/1,430	2,000/1,800 x 800 / alternative: 2,000/1,800 x 1,900	2,000/1,900 x 800 / alternative: 2,000/1,900 x 1,900
Third bed in mm (approx. as standard)	1,600 x 720/650 x 100	1,600 x 720/650 x 100	1,600 x 720/650 x 100	1,600 x 720/650 x 100
Possible Isofix fittings (depending on the seat variant)	1	2	1	2

SUMMIT SHINE 540 R


SUMMIT SHINE 600 R

SUMMIT SHINE 600 LR


SUMMIT SHINE 640 R

6.36 m
5.99 m


5.41 m




43



44



45



46

5,413	5,998	5,998	6,358
2,050	2,050	2,050	2,050
2,580	2,580	2,580	2,580
3,450	4,035	4,035	4,035
1,905	1,905	1,905	1,905
3,500	3,500	3,500	3,500
2,695	2,756	2,890	2,960
805	635	610	540
750 / 2,500**	750 / 2,500**	750 / 2,500**	750 / 2,500**
Truma Combi 4	Truma Combi 4	Truma Combi 4	Truma Combi 4
10	10	10	10
100	100	100	100
110	110	110	110
2 x 11	2 x 11	2 x 11	2 x 11
16	16	16	16
12V / 95 Ah	12 V / 95 Ah	12V / 95 Ah	12V / 95 Ah
1 / 2	1 / 2	1 / 2	1 / 2
approx. 100 / 8	approx. 84 / 6	approx. 100 / 8	approx. 84 / 6
Compressor	Compressor	Compressor	Compressor
4 (+1 optional)	5 (+1 optional)	5 (+1 optional)	4 (+1 optional)
3	2	4	4
3 / 3 (+1 optional) or / 4 / 4 (+1 optional)	4 / 4 (+1 optional)	3 / 3 (+1 optional) or / 4 / 4 (+1 optional)	3 / 3 (+1 optional) or / 4 / 4 (+1 optional)
2 (+1 optional)	2 (+1 optional)	2 (+1 optional)	2 (+1 optional)
1,960 x 1,200/1,410	1,960 x 1,600/1,470	2,000/1,800 x 800 / alternative: 2,000/1,800 x 1,900	2,000/1,900 x 800 / alternative: 2,000/1,900 x 1,900
1,600 x 720/650 x 100	1,800 x 700	1,600 x 720/650 x 100	1,600 x 720/650 x 100
1	2	1	2

SUMMIT SHINE AT A GLANCE

Summit
Shine




SUMMIT SHINE 540



LOOK INSIDE

360°



5.41 m

- ✓ Atmospheric lighting throughout living space
- ✓ Appealing seating area with Easy Move table incl. travel function



Mocha wood decor

Grigio Lucente interior, Easy Move table with travel function

Kitchen with compressor refrigerator

Larger work surface thanks to foldaway board





01

01

Mocha wood decor

Grigio Lucente interior, convenient table with open-out section

02

Cosy lateral bed

for snuggle-up time



02

- ✓ **Flexible seating arrangement** provided by single or double seat, each with extension option
- ✓ **Spacious swing-wall bathroom** for more space



01

01

Mocha wood decor

Grigio Lucente interior, Easy Move table with travel function

02

Large length-wise bed


on compact vehicle base



02

- ✓ **Top quality light rails** in anthracite matching spots and USB sockets
- ✓ **Sleeping comfort** in length-wise bed on 6-metre long vehicle base
- ✓ **optionally as Elegance model**

SUMMIT SHINE 600




LOOK INSIDE

360°

summit
Shine

SUMMIT SHINE 600 L



LOOK INSIDE

360°




SUMMIT SHINE 640



LOOK INSIDE

360°



6,36 m

- ✓ Open driver's cab and storage miracle in one: MultiRoof with optional storage space
- ✓ Especially bright interior thanks to light rail and indirect illuminating storage hatches




Mocha wood decor

Grigio Lucente interior, convenient table with open-out section

Practical and innovative

Large swing-wall bathroom





Mocha wood decor

Grigio Lucente interior, Easy Move table with travel function, twin bench seat (optional)

Kitchenette with compressor fridge

Double-hinged for easy access from inside and outside the vehicle



Bathroom

Wet cell and room divider in one




SUMMIT SHINE 540 R

summit
Shine



LOOK INSIDE

360°




5.41 m

Additional space when travelling in the seating area thanks to the Easy Move table

Bench seat made of ergonomically moulded upholstery



SUMMIT SHINE 600 R



- ✓ Top quality light rails in anthracite matching spots and USB sockets
- ✓ Sleeping comfort in length-wise bed on 6-metre long vehicle base



Transverse bed as in larger vehicles

Moka interior decor, Grigio Lucente seat fabric, larger pull-out table, optional 2-seater bench seat






SUMMIT SHINE 600 LR



LOOK INSIDE

360°



5.99 m

- ✓ Top quality light rails in anthracite matching spots and USB sockets
- ✓ Sleeping comfort in length-wise bed on 6-metre long vehicle base



Mocha wood decor

Grigio Lucente interior, convenient table with travel function, twin bench seat (optional)

Large length-wise bed on compact vehicle base





Seating area with twin bench seat (optional)
Mocha standard decor and Grigio Lucente interior

Open plan round kitchen
offering loads of space at the cooker




Spacious washroom
Skylight as standard, side window optional



SUMMIT SHINE 640 R

summit
Shine



New kitchen design for more space in the van base ✓
pleasant nights in the large longitudinal bed ✓

DECOR



**STANDARD SUMMIT
ROSEWOOD DECOR**



**ALTERNATIVE OAK COPPER
BORA WOOD DECOR**



**SUMMIT PRIME PALISANDER
STANDARD DECOR**



**STANDARD DECOR SUMMIT SHINE
MOCHA**

INTERIOR



MINDORO INTERIOR (STANDARD IN SUMMIT PRIME)



SAMBA INTERIOR



**ORIGINAL CAPTAIN CHAIR INTERIOR
(STANDARD IN SUMMIT)**



**GRIGIO LUCENTE INTERIOR
(STANDARD WITH SUMMIT SHINE)**



AT HOME THE WORLD OVER



Hline

Discover the world - with a motorhome that's unbeatable in space and quality. And all that at a totally fair price. Welcome to the H-Line - built for everyone for whom the journey is the reward. Built for truly great freedom to travel.

H line Highlights



FRAMED WINDOWS

A novelty in this class: solidly installed framed windows – quality lies in the detail.



HEIGHT-ADJUSTABLE OVERCAB BED AREA

The interior sides have a high quality, protective crumpled velour finish.



REFRIGERATOR DOORS

The double-hinged refrigerator doors give you flexible access.



TOP QUALITY FURNITURE

All furniture in the vehicle is manufactured in our factory in Germany.



2WIN VARIO ONLY

SWING-WALL BATHROOM

Creates more room and sense of space.



5TH SEAT (OPTIONAL WITH VARIO 545/2WIN VARIO*)

By extending the bench, two seats are transformed into three in an instant.

*may require replating for greater weight-bearing capacity.



2WIN VARIO

Rear window in high roof (optional), rear doors with windows (optional)



VARIO 545

Rear window in high roof (optional), rear doors with windows (optional), rear bed (optional)



CONCORDE COMPACT

Rear window in high roof (optional)

The stowage miracle

VARIO 54S


CONCORDE COMPACT

2WIN VARIO


5.99 M

5.41 M


Plenty of space in the world's most beautiful spots.



53



54



55

PAGE

DIMENSIONS in mm			
Length (approx.)	5,413	5,413	5,998
Width (approx.)	2,050	2,050	2,050
Height (approx.)	3,120	3,120	3,120
Wheelbase (approx.)	3,450	3,450	4,035
Interior height (approx.)	2,450	2,450	2,450
WEIGHT AND MAXIMUM RECOMMENDED LOAD in kg			
Gross vehicle weight (standard)	3,500	3,500	3,500
Mass in running order (approx.)*	2,843	2,823	2,999
Maximum recommended load with 20 l water (approx.)	657	677	501
Towing capacity, unbraked/braked**	750/2,500	750/2,500	750/2,500

* Weight specifications with standard built-in equipment. The maximum recommended load will change with instalment of optional extras. ** Heavy/Maxi 750/3,000 kg

ON-BOARD TECHNICAL EQUIPMENT			
Heater	Truma Combi 4	Truma Combi 4	Truma Combi 4
Boiler volume, l (approx.)	10	10	10
Fresh water tank, l (approx.)	75	75	100
Wastewater tank, l (approx.)	80	80	80
Gas cylinder box for (kg)	2 x 11	2 x 11	2 x 11
Battery charger, A	16	16	16
Battery	12V / 95 Ah	12V / 95 Ah	12V / 95 Ah
230V power sockets	2 / 1	1 / 1	1 / 1
Refrigerator, l (capacity/for freezer)	approx. 100/8 l	approx. 100/8 l	approx. 100/8 l
Absorber/compressor	Compressor	Compressor	Compressor

LIVING AREA FITTINGS AND FEATURES			
Windows in living space	2 (+2 optional)	2	3
Skylight with blackout roller blind	2	1	2
Lateral skylight	2	2 (+2 optional)	2 (+2 optional)
Seats/three-point safety belts	4 / 4 (+ 1 optional)	4 / 4 (+2 optional)	4 / 4
Berths	2 (+1/+2 optional)	2 (+2 optional)	2 (+1/+2 optional)
Rear bed/bunk beds, mm (approx.)	below: 1.960 x 740 (standard) above: 1.670 x 670 (standard)	Dinette 1.960 x 850/780 (standard)	1.950 x 1.400/1.200
Height-adjustable bed/roof bed, mm (approx.)	2.200 x 1.700	2.150 x 1.700	2.050 x 1.350 (standard)
Bed lateral to sliding door, mm (approx., as standard)	1.800 x 700	-	1.800 x 700



Mindoro interior (optional)

Oak Copper Bora wood decor, table with open-out section (optional), rear beds (optional), ambient lighting (optional)

Roof bed and removable rear bed (optional)


Without rear bed there is extra storage space; with rear bed there is sleeping space for up to 4 persons

Central bathroom

Also serves a room divider to rear bedroom



VARIO 545




- Extra storage space in the rear – optionally with rear beds too ✓
- Top quality framed windows for a particularly automotive look ✓
- Powerful compressor refrigerator – can be opened in both directions, removable freezer compartment ✓





CONCORDE COMPACT



- ✓ Bespoke motorhome using high quality materials
- ✓ Cosy and spacious seating area for up to four persons
- ✓ Separate bathroom
- ✓ Powerful compressor refrigerator – can be opened in both directions, removable freezer compartment



Mindoro interior (optional)

Oak Copper Bora wood decor, table with open-out section (optional), ambient lighting (optional))

Luxury kitchen

2-burner hob with piezo ignition



Bathroom in the rear

Spacious bathroom over the entire width of the rear





Two full-size bedrooms

Large double bed in the rear and roof bed (optional)

Mindoro interior (optional)

Oak Copper Bora wood decor, table with open-out section (optional), bed for high roof (optional), rear door windows (optional)




Large swing-wall bathroom

Enables even better use of space, side windows optional



2WIN VARIO



5.99 m

- With swing-wall bathroom as standard ✓
- Spacious kitchen with extra storage compartments ✓
- Powerful compressor refrigerator – can be opened in both directions, removable freezer compartment ✓
- Optionally available as Elegance model ✓
- Available as Elegance model ✓

H line

Interior



ELEGANCE MODEL
WITH PALISANDER WOOD DECOR (OPTIONAL)



STANDARD DECOR
OAK COPPER BORA

INTERIORS



ORIGINAL CAPTAIN CHAIR INTERIOR (STANDARD)



SAMBA INTERIOR (OPTIONAL)



MINDORO INTERIOR (OPTIONAL)


Exterior

THERE'S SOMETHING FOR EVERY PÖSSL HERE - D-LINE, TRENTA, SUMMIT OR H-LINE


Make your PÖSSL even more stylish. It's easy as can be, with a choice of paintwork and stylish modern-looking alloy wheels.

PAINTWORK

Fiat / Citroën / Peugeot



White



Expeditions-Grey / Campovolo Grey



Artense Grey metallic



Lanzarote Grey/ Thunder Grey



Iron Grey metallic



Black metallic/ Graphito Grey metallic

LEGAL NOTICE ON WEIGHT-RELATED INFORMATION

The weight specifications and tests for motorhomes are standardised EU-wide in the EU Implementing Regulation No 2021/535 (until June 2022: EU Implementing Regulation No. 1230/2012). The main terminology and legal rules defined in this regulation are summarised and explained for you below. You can also contact your dealer and use the PÖSSL configurator on our website for extra help with configuring your vehicle.

1. Technically permissible maximum mass

The technically permissible maximum mass of the vehicle (e.g. 3,500 kg) is a manufacturer's fixed mass specification that the vehicle may not exceed. Information on the technically permissible maximum mass of your chosen model can be found in the technical data. If the vehicle exceeds the technically permissible maximum mass in real world driving conditions, this constitutes a misdemeanour and is punishable by a fine.

2. Mass in running order

Simply put the mass in running order is the basic vehicle with standard equipment plus a legally defined average weight of 75 kg for the driver. This essentially consists of the following elements:

- the unladen weight of the vehicle together with the bodywork, including operating fluids such as lubricants, oil and coolants
- the standard equipment, i.e. all equipment items included as standard in the factory-fitted scope of delivery
- the fresh water tank filled to 100% in driving mode (drive-ready fill according to manufacturer's specifications; 20 litres) and an aluminium gas cylinder filled to 100% and weighing 16 kg;
- the fuel tank, which is 90% full with fuel;
- the driver, whose weight – regardless of the actual weight – is generally specified as 75 kg in accordance with EU law.

Information on the mass in running order for every model is available in our sales material. The important thing to know is that the mass in running order stated in the sales materials is a standard value determined during the type approval process and reviewed by the authorities. It is legally permissible, and also possible, that the mass in running order of the vehicle delivered to you will vary from the nominal value stated in the sales material. The legally permissible tolerance is $\pm 5\%$. Here the EU legislator is taking account of the fact that weight variations in supplied parts, combined with process and weather-related effects can create some fluctuation in the mass in running order. These weight variations are more easily understood by looking at a sample calculation:

- Mass in running order acc. to sales material: 2,700 kg
- Legally permissible tolerance of $\pm 5\%$: 135 kg
- Legally permissible range of the mass in running order: 2,565 kg to 2,835 kg

PÖSSL takes great care to reduce these weight variations to the absolute minimum, unavoidable for technical production reasons. Variances at the upper and lower end of the range are therefore very rare; however, for technical reasons they cannot be totally ruled out despite all the

optimisations made. The real weight of the vehicle and compliance with the permissible tolerance is determined by weighing.

3. Mass of the passengers

The mass of the passengers is set to a default value of 75 kg for each seat provided by the manufacturer, regardless of the actual weight of the passengers. The mass of the driver is already included in the mass in running order (see no. 2 above) and is therefore not included again. In the case of a motorhome with four permitted seats, the mass of the passengers is therefore $3 \times 75 \text{ kg} = 225 \text{ kg}$.

4. Optional equipment and actual mass

According to the legal definition, optional equipment (also referred to as special equipment or optional extras) includes all optional equipment not provided as standard which is fitted to the vehicle under the manufacturer's responsibility - i.e. ex works - and which can be ordered by the customer. Information about individual and package weights of optional equipment available to order can be found in our sales material. For this definition, optional equipment does not include other accessories retrofitted to the vehicle by you or the dealer after it has left the factory.

The mass of the vehicle in running order (see no. 2 above) plus the mass of the optional equipment factory-fitted to a specific vehicle add up to the actual mass. Following delivery, you will find the relevant information for your vehicle under no. 13.2 of the Certificate of Conformity (CoC). PÖSSL determines each value individually and states the weighed value in the CoC.

5. Pay-mass and minimum pay-mass

The installation of optional equipment is also subject to technical and legal limits: There is only so much optional equipment that can be ordered and factory-fitted to leave enough spare weight for luggage and other belongings (the pay-mass), without the technically permissible maximum mass being exceeded. The pay-mass is calculated by subtracting the mass in running order (nominal value according to sales material, see no. 2 above), mass of the optional equipment and the mass of the passengers (see no. 3 above) from the technically permissible maximum mass (see no. 1 above). The EU regulations for motorhomes stipulates a fixed minimum pay-mass, which is the very least that must remain free for luggage and other non-factory-fitted accessories. This minimum pay-mass is calculated as follows:

Maximum pay-mass in kg $\geq 10 \times (n + L)$

Where: "n" is the maximum number of passengers plus driver and "L" is the overall length of the vehicle in metres.

For a motorhome with a length of 6 m and 4 approved seats, the minimum pay-mass is therefore e.g. $10 \text{ kg} \times (4 + 6) = 100 \text{ kg}$.

To preserve this minimum pay-mass, for every model of vehicle there is a maximum combination of optional equipment available to order. In the example shown above with a minimum pay-mass of 100 kg, the total mass of the optional equipment in a vehicle with four permitted seats and a mass in running order of 2,700 kg cannot exceed 325 kg, for example:

3,500 kg technically permissible total mass

- 2,700 kg mass in running order

- $3 \times 75 \text{ kg}$ mass of the passengers

- 100 kg minimum pay-mass

= 475 kg maximum permissible mass of the optional equipment

It is important to note that this calculation is based on the standard value for the mass in running order determined in the type approval procedure, without the permissible weight variances with the mass in running order (see No. 2 above). If the maximum permissible value for the optional equipment of 325 kg (in the example) is almost or completely exhausted, an upward weight deviation can therefore result in the minimum pay-mass of 100 kg being met mathematically using the default value for the mass in running order, although in fact there is no corresponding load capacity.

To avoid this type of situation, PÖSSL is further reducing the permissible maximum weight of the total optional equipment available to order on a model-by-model basis. The limit on optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of PÖSSL's delivered vehicles.

Since the weight of a specific vehicle can only be determined when it is weighed at the end of the production line, in very rare cases a situation may arise in which the minimum pay-mass at the end of the line is not guaranteed, despite the restrictions put on optional equipment. To ensure the minimum pay-mass is still met in these cases, before delivering your vehicle, PÖSSL, along with you and your dealer, will check if the vehicle might be loaded up, have the number of seats reduced, or optional equipment removed.

May 6, 2019, Hamburg Recommendations

Production-related fluctuations in the running mass can result in variances in the load-carrying capacity. That means that the information contained in the brochure / configurator may possibly be undercut in reality. When performing the calculation, make sure you factor in the permissible tolerances, and weigh the completed vehicle before commencing your journey, in order to determine the remaining load capacity.



facebook.com/poesslreisemobile



instagram.com/poessl_original



youtube.com/poesslgroup



pinterest.de/poesslgroup



linkedin.com/company/poesslgroup



With dealerships in 14 countries – we're ready to assist you! And of course, on **www.poessl-mobile.de**

A BRAND OF

PÖSSL GROUP

Rights reserved concerning technical specifications and errors. Please note that illustrations in this brochure may contain decorations, alternative designs or special equipment that are not included in the scope of delivery or for which additional charges may be incurred. All dimensions in millimetres, unless otherwise indicated. Information on technology, water supply and prices can be found in the separate price list. Minor deviations in colour may result due to the printing process. Prices include the currently applicable statutory value added tax.

*According to EC Directive 97/27 EC and EU standard EN 1645-2, the "mass in running order" comprises the unladen weight of the vehicle, incl. driver (75 kg) and filled fuel tank, as well as the following basic equipment: water tank with reduced volume (20 l), a filled aluminium gas cylinder (15 kg) and a cable reel (4 kg). The technically permissible gross vehicle weight must not be exceeded when the personal equipment, persons travelling with the vehicle and any optional extras are taken into account. Installation of special accessories will reduce the maximum recommended load and may reduce the permitted number of persons. The information on the scope of delivery, appearance, performance, dimensions and weight of the vehicles corresponds to the knowledge available at the time of going to press, and the European homologation regulations. These can change up until the time the vehicle is purchased or until delivery. Deviations within the factory tolerances (+/- 5% max.) are possible and permissible.